



**Aerem Limited**

**Client Number 10177**

123B Dominion Road, Mount Eden, Auckland, 1024

**Telephone 022 570-4490**

**www.aerem.co.nz**

**Authorised Representative**

Mr Benjamin Alford  
Director

**Programme**

Chemical Testing Laboratory

**Accreditation Number 1447**

**Initial Accreditation Date 12 October 2023**

**Conformance Standard**

ISO/IEC 17025:2017

General requirements for the competence of testing and calibration laboratories

**Laboratory Services Summary**

2.64

Asbestos

Operations Manager  
Authorisation:

Issue 4

Date: 16/03/26

Page 1 of 2



Aerem Limited  
 Chemical Testing Laboratory  
**SCOPE OF ACCREDITATION**

Accreditation Number 1447

**2.64 Asbestos**

**(a) Identification**

Bulk identification of asbestos using polarised light microscopy (PLM)

AS 4964:2004 Method for the Qualitative Identification of Asbestos in Bulk Samples (excluding soils)

**(b) Fibre Counts**

**Air**

**Analysis only**

Determination of air-borne asbestos fibre counts on membrane filters

National Occupational Health & Safety Commission: 3003(2005) Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres (2nd Ed)

**(e) Mobile facilities**

Establishment and operation of mobile laboratories for the purposes of bulk identification of asbestos, in accordance with procedures listed in 2.64(a)

Establishment and operation of mobile laboratories for the purposes of fibre counting of asbestos, in accordance with procedures listed in 2.64(b)

Operations Manager Authorisation:		Issue 4	Date: 16/03/26	Page 2 of 2
--------------------------------------	---	---------	----------------	-------------